


LMF-ML-3528-43M39

FF series







Lens Type	Specifications	
Focus Position	1000(M.O.D)	Infinity
Magnification	0.035	-
Focal Length (mm)	35.33	35.33
Fno	2.80~22.00	
Numerical Aperture	0.006	-
Working/Object Distance (mm)	1000.0 / 1014.0	-/-
Object to Image Distance (mm)	1106.16	-
Mechanical Tube Length (mm)	35.90	
Lens Back (mm)	27.53	26.30
DOF @PCoC f0.04mm (mm)	273.868	-
Resolution @λ=550nm (μm)	55.4	-
Front/Rear Principal Position (mm)	28.97 / -8.95	28.97 / -8.95
Entrance/Exit Pupil Position (mm)	20.35 / -20.35	20.35 / -20.35
Entrance/Exit Pupil Diameter (mm)	12.53 / 16.57	12.53 / 16.57
Angle Of View (deg.)	63.65	64.97
Optical Distortion (%)	-0.602	-0.695
Relative Illumination (%)	27.53	26.16
Weight (g)	220.0	
Mount	M39x1	
Filter Thread size	M43 x 0.75	
Image Circle (mm)	φ45	
Largest Compatible Camera (pixel size)	IF45 (4.5μm)	

LMF-ML-3528-43M39



WD=Infinity Fno2.8



MORITEX Corporation

Technology Center : Lens Design & Development Technology

For support, please contact :





MORITEX North America, Inc.

TEL +1 (408) 363-2100 machine.vision@moritex.com

FAX +1 (408) 363-9985 www.moritex.com

MORITEX
A Cognex Company

0.035x Fno2.8



MORITEX Corporation

Technology Center : Lens Design & Development Technology

For support, please contact :

MORITEX North America, Inc.

TEL +1 (408) 363-2100 machine.vision@moritex.com

FAX +1 (408) 363-9985 www.moritex.com

MORITEX
A Cognex Company