


LMF-ML-2828-35M39

FF series







Lens Type		Specifications	
Focus Position		200(M.O.D)	Infinity
Magnification		0.130	-
Focal Length	(mm)	28.01	28.01
Fno		2.80~16.00	
Numerical Aperture		0.022	-
Working/Object Distance	(mm)	200.0 / 205.0	-/-
Object to Image Distance	(mm)	303.60	-
Mechanical Tube Length	(mm)	69.50	
Lens Back	(mm)	32.50	28.82
DOF @PCoC f0.04mm	(mm)	14.030	-
Resolution @λ=550nm	(μm)	15.3	-
Front/Rear Principal Position	(mm)	34.26 / 0.87	34.26 / 0.87
Entrance/Exit Pupil Position	(mm)	28.17 / -6.93	28.17 / -6.93
Entrance/Exit Pupil Diameter	(mm)	10.21 / 13.05	10.21 / 13.05
Angle Of View	(deg.)	60.56	64.00
Optical Distortion	(%)	-1.504	-1.473
Relative Illumination	(%)	39.31	30.19
Weight	(g)	230.0	
Mount		M39x1	
Filter Thread size		M52 x 0.75	
Image Circle	(mm)	φ35	
Largest Compatible Camera (pixel size)		IF35 (4.5μm)	

LMF-ML-2828-35M39



WD=Infinity Fno2.8



MORITEX Corporation

Technology Center : Lens Design & Development Technology

For support, please contact :





MORITEX North America, Inc.

TEL +1 (408) 363-2100 machine.vision@moritex.com

FAX +1 (408) 363-9985 www.moritex.com

MORITEX
A Cognex Company

0.13x Fno2.8



T

MORITEX Corporation

Technology Center : Lens Design & Development Technology

For support, please contact :

MORITEX North America, Inc.

TEL +1 (408) 363-2100 machine.vision@moritex.com

FAX +1 (408) 363-9985 www.moritex.com

MORITEX
A Cognex Company